


REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:
B	CHANGE RESISTOR VALUES R7, R8, R12, R18, R20		
C	ADD CAPACITOR C22, CHANGE C17, C20 & C21 TO TANTALUM ADDS NOTE 2		

NOTES:  
 1. ALL RESISTORS AND CAPACITORS ARE 0603 SIZE UNLESS OTHERWISE NOTED  
 2. C22 \* POPULATE FOR CPC2430E  
 R13 \* VALUE 22.1 OHM FOR CPC2430E

COMPANY:	CLARE INC. CIRCUITS R&D
TITLE:	CPC2420E / CPC2430E REFERENCE DESIGN
CODE:	SIZE: DRAWING NO: REV: C
DRAWN:	LAF
DATED:	2/23/01
APPS/MKTG:	DMD
DATED:	2/23/01
PRODUCT ENG:	AJP
DATED:	2/23/01
DESIGN ENG:	JDC
DATED:	2/23/01
SCALE:	SHEET: 1 OF 1

Tolerances unless otherwise noted:  
 X +/- .01 .02  
 .XX +/- .010 .01  
 .XXX +/- .005 .005

This drawing is the property of CLARE INC. and is furnished only to illustrate the product shown hereon. This drawing may not be reproduced in whole or in part or made available to any other party without written consent of CLARE INC.



TTL V.24 SIGNAL INTERFACE